

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	362	buffer with (write adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 11:08
S2	29	(buffer with (write adj information)) with (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/17 17:28
S3	237	(store adj buffer) and (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:36
S4	65	(store adj buffer) same (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/17 17:29
S5	39	DSP same (store adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 16:09
S6	0	DSP same (store adj buffer) same (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 16:10
S7	49	DSP same (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 16:11
S8	516	(711/158).CCLS.	USPAT; USOCR	OR	OFF	2006/07/18 16:12
S9	1078	priority adj task	USPAT	OR	OFF	2006/07/18 16:12

EAST Search History

S10	5	enable with (priority adj task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 16:13
S11	20	DSP same (priority adj task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 16:20
S12	445	DSP and (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 18:21
S13	268	DSP and (write adj buffer) and priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 16:20
S14	0	DSP same (write adj buffer) same priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 16:20
S15	39	DSP and ((write adj buffer) same priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 17:46
S16	2	(store adj buffer) near10 (write adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 17:47
S17	182	(store adj buffer) and (write adj buffer) and priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 17:48

EAST Search History

S18	45	(store adj buffer) and (write adj buffer) and priority and (interrupt adj handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 17:50
S19	1	(store adj buffer) same (write adj buffer) same (interrupt adj handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 17:50
S20	5	(store adj buffer) same (write adj buffer) same (interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 18:01
S21	358	(write adj buffer) same (interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 17:55
S22	9	(write adj buffer) same (interrupt adj handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 17:55
S23	31	(write adj buffer) same (high adj priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 17:56
S24	65	(store adj buffer) same (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 18:01
S25	9	((store adj buffer) same (write adj buffer)) and DSP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 18:14

EAST Search History

S26	442	(enable with (write adj buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 18:15
S27	3	(enable with (write adj buffer)) with (high adj priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 18:15
S28	19	(write adj buffer) with (high adj priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 18:15
S29	445	DSP and (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 18:21
S30	516	(711/158).CCLS.	USPAT; USOCR	OR	OFF	2006/07/18 18:21
S31	3	S29 and S30	USPAT	OR	OFF	2006/07/18 18:22
S32	237	(store adj buffer) and (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/18 18:22
S33	1	S32 and S30	USPAT	OR	OFF	2006/07/18 18:22
S34	495	DSP adj instruction\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 11:08
S35	6	(DSP adj instruction\$1) same (microcontroller adj instruction\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 11:25

EAST Search History

S36	17	(inhibit near5 write) with (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 11:28
S37	29	(inhibit) with (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 11:29
S38	72	(inhibit\$3) with (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 11:29
S39	1	(inhibit\$3) with (write adj buffer) with priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 11:29
S40	1	(inhibit\$3 or stop or ceas\$3) with (write adj buffer) with priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 11:30
S41	513	(inhibit\$3 or stop or ceas\$3) with (writ\$3 or stor\$3) with priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 11:31
S42	4852	(inhibit\$3 or stop or ceas\$3) with priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 11:31
S43	25	(inhibit\$3 or stop or ceas\$3) with (priority adj task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 11:31

EAST Search History

S44	65	(store adj buffer) same (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 13:06
S45	169	(store adj buffer) and (write adj buffer) and interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 13:07
S46	135	(store adj buffer) and (write adj buffer) and interrupt and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 13:07
S47	19	(store adj buffer) and (write adj buffer) and interrupt and DSP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 13:33
S48	1	(store adj buffer) and ((write adj buffer) near10 enable) and DSP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 13:34
S49	23	(store adj buffer) and (write adj buffer) and DSP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 14:02
S50	429	(WB) and DSP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 14:24
S51	866	(WB or (write adj buffer)) and DSP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 14:30

EAST Search History

S52	36	(WB or (write adj buffer)) and DSP and (store adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 14:41
S53	0	(enable with (write adj buffer)) same DSP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 14:41
S54	19	(high adj priority) with (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 15:36
S55	55	(store adj buffer) with (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 15:37
S56	37	transfer\$4 with (store adj buffer) with (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 15:48
S57	6163	write adj buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 15:48
S58	214	(write adj buffer) with interrupt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 15:49
S59	3	((write adj buffer) with interrupt\$3) with (inhibit or stop or ceas\$3 or prohibit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 15:53

EAST Search History

S60	214	((write adj buffer) with interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 15:55
S61	0	((write adj buffer) with interrupt\$3) and (store adj buffe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 15:55
S62	34	((write adj buffer) with interrupt\$3) and (store adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:12
S63	236	(write adj buffer) and (interrupt adj handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:12
S64	9	(write adj buffer) same (interrupt adj handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:41
S65	465	(write) same (interrupt adj handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:14
S66	909	(writ\$3 or stor\$3) with (interrupt adj handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:21
S67	118	((writ\$3 or stor\$3) with (interrupt adj handler)) and ((stor\$3 or write) adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:15

EAST Search History

S68	22	((writ\$3 or stor\$3) with (interrupt adj handler)) same ((stor\$3 or write) adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:17
S69	12	(enable with (writ\$3 or stor\$3) with (interrupt adj handler))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:21
S70	97	((writ\$3 or stor\$3) with (interrupt adj handler)) and DSP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:25
S71	0	((writ\$3 or stor\$3) near2 access) with (interrupt adj handler)) and DSP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:26
S72	8	((writ\$3 or stor\$3) near2 access) with (interrupt adj handler))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:26
S73	46	(store adj buffer) and (write adj buffer) and (interrupt\$3 adj handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:43
S74	237	(write adj buffer) and (interrupt\$3 adj handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:38
S75	12	(write adj buffer) and (interrupt\$3 adj handler) and DSP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:38

EAST Search History

S76	46	(write adj buffer) and (interrupt adj handler) and (store adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:42
S77	65	(store adj buffer) same (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:45
S78	237	(store adj buffer) and (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:45
S79	182	(store adj buffer) and (write adj buffer) and interrupt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:45
S80	20	(store adj buffer) and (write adj buffer) and interrupt\$3 and DSP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/19 16:45
S81	365	(write adj buffer) same interrupt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 14:35
S82	0	((write adj buffer) same interrupt) and (store adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 14:36
S83	65	(write adj buffer) same (store adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/14 14:36

EAST Search History

S84	806	cache with (store adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 14:28
S85	1015	cache same (store adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 14:30
S86	101	cache same (store adj buffer) same (write near2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 14:34
S87	526	(711/158).CCLS.	USPAT; USOCR	OR	OFF	2006/08/15 14:31
S88	1	S86 and S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 14:32
S89	2	cache same (store adj buffer) same (write near2 buffer) same (priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 14:34
S90	48	cache same (store adj buffer) same (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 15:23
S91	0	DSP same (store adj buffer) same (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 15:24
S92	65	(store adj buffer) same (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:38

EAST Search History

S93	185	enable near5 (write adj buffer)	USPAT	OR	OFF	2006/08/15 15:25
S94	3	(enable near5 (write adj buffer)) same inhibit\$3	USPAT	OR	OFF	2006/08/15 15:27
S95	17	(inhibit\$3 near5 (write adj buffer))	USPAT	OR	OFF	2006/08/15 15:28
S96	81	((inhibit\$3 or prevent\$3) near5 (write adj buffer))	USPAT	OR	OFF	2006/08/15 15:29
S97	1	S87 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 16:13
S98	3087	(store adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:38
S99	662	(store adj buffer) same write	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:39
S10 0	113	(store adj buffer) same capacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 17:39
S10 1	59	((store adj buffer) same capacity) and write	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 18:13
S10 2	2	(store adj buffer) near5 (write adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 18:14
S10 3	7	(store adj buffer) same (write adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 18:15

EAST Search History

S10 4	43	(write adj buffer) same (write adj information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 18:16
S10 5	49	(store adj buffer) near5 (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:25
S10 6	65	(store adj buffer) same (write adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:13
S10 7	1	(store adj buffer) same (write adj buffer) same task	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:26
S10 8	3	((store adj buffer) same (write adj buffer)) and (interrupt adj handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:27
S10 9	42	((store adj buffer) same (write adj buffer)) and (interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:33
S11 0	221	(writ\$3 near10 interrupt) same (inhibit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:34
S11 1	17	(write adj buffer) same (writ\$3 near10 interrupt) same (inhibit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:35

EAST Search History

S11 2	199	(write adj buffer) same (write adj buffer) near10 interrupt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:35
S11 3	55	(write adj buffer) same (write adj buffer) near10 interrupt) same store adj buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:44
S11 4	43	(write adj buffer) same (write adj buffer) information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:56
S11 5	25	(write adj buffer) near10 (write adj buffer) information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:58
S11 6	2	(store adj buffer) near10 (write adj buffer) information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:58
S11 7	20	(store adj buffer) near10 (write adj buffer) near2 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:58
S11 8	294	(write adj buffer) near10 (write adj buffer) near5 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 14:59
S11 9	102	((write adj buffer) near10 (write adj buffer) near5 information)) and (store adj buffer) near2 (buffer or register or FIFO))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 15:00

EAST Search History

S12 0	15	((write adj buffer) near10 (write near5 information)) same (store near2 (buffer or register or FIFO))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 15:04
S12 1	37	((write adj buffer) near10 (write near5 information)) and (store adj (buffer or register or FIFO))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 15:08
S12 2	23	(write near2 information) near10 (store adj (buffer or register or FIFO))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:06
S12 3	5685	(DSP) same (writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:07
S12 4	27	((DSP) same (writ\$3)) same (high near2 priority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:07
S12 5	88	(store adj buffer) and (write adj buffer) and ((inhibit or prevent\$3) near5 writ\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:17
S12 6	447622	(enabl\$3 near10 capacity near10 write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:17
S12 7	252	(enabl\$3 near10 capacity near10 write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:18

EAST Search History

S12 8	1	(enabl\$3 near10 (store near2 buffer near2 capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:19
S12 9	368	(enabl\$3 near10 (buffer near2 capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:19
S13 0	73	(enabl\$3 near10 (buffer near2 capacity)) and (write near2 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:21
S13 1	1446	(enabl\$3 near10 (write near2 buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:21
S13 2	20	(enabl\$3 near10 (write near2 buffer)) same capacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:26
S13 3	17	(level adj three adj memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:29
S13 4	17	(level adj three adj memory) or S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:27
S13 5	1288	(buffer near2 writ\$3 near2 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:30

EAST Search History

S13 6	1398	(buffer\$3 near2 writ\$3 near2 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:35
S13 7	12	(buffer\$3 near2 writ\$3 near2 information) with based with address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:30
S13 8	392	(711/117).CCLS.	USPAT; USOCR	OR	OFF	2006/08/17 16:35
S13 9	576	(711/122).CCLS.	USPAT; USOCR	OR	OFF	2006/08/17 17:35
S14 0	8	S136 and S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:35
S14 1	6	S136 and S139	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:38
S14 2	0	(711/122and(writeadjaddress\$2)).CCLS.	USPAT; USOCR	OR	OFF	2006/08/17 16:43
S14 3	0	(write adj address) same (multi-level near2 memory)	USPAT	OR	OFF	2006/08/17 16:43
S14 4	0	(write adj address) same (multi-level near2 memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:44
S14 5	0	(write near2 address) same (multi-level near2 memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 16:44

EAST Search History

S14 6	17	(write near2 address) same (multi-level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 17:35
S14 7	0	(write near2 address) same (leve adj buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 17:34
S14 8	16	(write near2 address) same (level adj buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 17:34
S14 9	0	(711/122and(writeadjaddress)). CCLS.	USPAT; USOCR	OR	OFF	2006/08/17 17:35
S15 0	250	(write near2 address\$2) and 711/122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 17:36
S15 1	47	buffer\$3 near10 (write near2 address\$2) and 711/122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/17 17:36
S15 2	58231	address near5 write	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/20 12:10
S15 3	1288	(address near5 write) same (write adj buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/20 12:10

EAST Search History

S15 4	0	(address near5 write) same (write adj buffer) same (store adj buufer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/20 12:11
S15 5	12	(address near5 write) same (write adj buffer) same (store adj buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/20 12:56
S15 6	1	(hold near2 write near2 information) same (write adj buffer) same (store adj buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/20 12:57
S15 7	3	(write near2 information) same (write adj buffer) same (store adj buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/20 12:57
S15 8	0	((store adj buffer) near5 (write adj information)) with "L1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 10:36
S15 9	0	(processor near10 (stored near2(write adj information))) with "L1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 10:37
S16 0	0	((processor or CPU or core) near10 (stored near2(write adj information))) with "L1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 10:37

EAST Search History

S16 1	0	((processor or CPU or core) near10 (stored near2 (write adj information))) with "L1"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 10:37
S16 2	12	((processor or CPU or core) near10 (stored near2 (write adj information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 10:38
S16 3	1766	((processor or CPU or core) near10 (write adj information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 10:38
S16 4	0	((processor or CPU or core) near10 (write adj information)) with S158	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 10:38
S16 5	35	((processor or CPU or core) near10 (write adj information)) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 10:39